This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|---|-----------------------|------------|
| - | 3978345 | only | USPAT; | 2004/06/09 |
| | | · | US-PGPUB; | 13:13 |
| | | | EPO; JPO; | |
| 1 | | | DERWENT; | |
| | () h | | IBM_TDB | |
| - | 1127630 | (only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| 1 | | minimal\$2 or least or fewest) near6 (amount or data | US-PGPUB; | 14:04 |
| | | or bit or bits or address\$3 or number\$1) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 143968 | ((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | | minimal\$2 or least or fewest) near6 (amount or data | US-PGPUB; | 13:39 |
| | | or bit or bits or address\$3 or number\$1)) with | EPO; JPO; | |
| | | (access\$7 or decod\$7 or read\$3) | DERWENT; | |
| | | | IBM_TDB | |
| - | 347565 | ((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | | minimal\$2 or least or fewest) near6 (amount or data | US-PGPUB; | 13:46 |
| | | or bit or bits or address\$3 or number\$1)) with | EPO; JPO; | |
| | | (access\$7 or decod\$7 or read\$3 or compar\$7 or | DERWENT; | |
| | | need\$3 or necess\$5 or requir\$7) | IBM_TDB | |
| - | 428737 | (device\$1 or peripheral\$1 or module\$1 or node\$1 or | USPAT; | 2004/06/09 |
| | | unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | U5-PGPUB; | 14:07 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1) | DERWENT; | |
| | | | IBM_TDB | |
| - | 34170 | ((device\$1 or peripheral\$1 or module\$1 or node\$1 or | USPAT; | 2004/06/09 |
| | | unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:44 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits) | DERWENT; | |
| | | | IBW_TDB | |
| | 6179 | (((device\$1 or peripheral\$1 or module\$1 or node\$1 or | USPAT; | 2004/06/09 |
| | | unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:45 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBW_TDB | |
| | 4440501 | difference) | USPAT; | 2004/06/09 |
| - | 1440594 | (only or just or enough or min\$2 or minimum or | 1 | |
| | | minimal\$2 or least or fewest) near6 (read\$3 or | US-PGPUB; | 13:48 |
| | | compar\$7 or need\$3 or necess\$5 or requir\$7) | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| | 1000170 | (l il | USPAT; | 2004/06/09 |
| - | 1908172 | (only or just or enough or min\$2 or minimum or | USPAT; US-PGPUB; | 13:49 |
| | | minimal\$2 or least or fewest) with (read\$3 or | EPO; JPO; | 13.79 |
| | | compar\$7 or need\$3 or necess\$5 or requir\$7) | DERWENT; | |
| | | | IBM_TDB | |
| | 04 | // who are its about an area about 2 are minimum and | USPAT; | 2004/06/09 |
| - | 81 | ((only or just or enough or min\$2 or minimum or | US-PGPUB; | 13:51 |
| | | minimal\$2 or least or fewest) with (read\$3 or compar\$7 or need\$3 or necess\$5 or requir\$7)) with | EPO; JPO; | 13.31 |
| | | | DERWENT; | |
| | | (bit or bits) | IBM_TDB | |
| | | | TDW_IDR | |

| | 3 | ((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
|---|-------|--|-----------|------------|
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:50 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) and (((only or just or enough or min\$2 or | 10/1/20 | |
| | | minimum or minimal\$2 or least or fewest) with | | |
| | | | | |
| | | (read\$3 or compar\$7 or need\$3 or necess\$5 or | | |
| | 50440 | requir\$7)) with (bit or bits)) | LICDAT | 2004/06/09 |
| - | 58442 | ((only or just or enough or min\$2 or minimum or | USPAT; | 13:51 |
| | | minimal\$2 or least or fewest) with (read\$3 or | U5-PGPUB; | 13:51 |
| | | compar\$7 or need\$3 or necess\$5 or requir\$7)) with | EPO; JPO; | |
| | | (bit or bits) | DERWENT; | |
| | | * | IBM_TDB | |
| - | 2403 | ((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:52 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) and (((only or just or enough or min\$2 or | | |
| | | minimum or minimal\$2 or least or fewest) with | | |
| | | (read\$3 or compar\$7 or need\$3 or necess\$5 or | | |
| | | requir\$7)) with (bit or bits)) | | |
| _ | 982 | (((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:55 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) and (((only or just or enough or min\$2 or | | |
| | | minimum or minimal\$2 or least or fewest) with | | |
| | | (read\$3 or compar\$7 or need\$3 or necess\$5 or | | |
| | | requir\$7)) with (bit or bits))) and (daisychain\$5 or | | |
| | | chain\$5 or link\$5) | | |
| _ | 957 | ((((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | .13:53 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | , |
| 1 | | difference)) and (((only or just or enough or min\$2 or | | |
| | | minimum or minimal\$2 or least or fewest) with | | |
| | | (read\$3 or compar\$7 or need\$3 or necess\$5 or | | |
| | | requir\$7)) with (bit or bits))) and (daisychain\$5 or | | |
| | | | | |
| | | chain\$5 or link\$5)) and (@ad<20020102 or | | |
| | | @rlad<20020102 or @prad<20020102 or | | |
| | | @pt1d<20010102 or @pd<20020102) | | |

| | 957 | ((((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
|-----|-------|--|-----------|------------|
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 14:00 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) and (((only or just or enough or min\$2 or | | |
| | | minimum or minimal\$2 or least or fewest) with | | |
| | | (read\$3 or compar\$7 or need\$3 or necess\$5 or | | |
| | | requir\$7)) with (bit or bits))) and (daisychain\$5 or | | |
| | | chain\$5 or link\$5)) and (@ad<20020102 or | | |
| | | @rlad<20020102 or @prad<20020102 or | | |
| | | @pt1d<20020102 or @pd<20020102) | | |
| | 32401 | (daisychain\$5 or chain\$5 or link\$5) with address\$5 | USPAT; | 2004/06/09 |
| | | | US-PGPUB; | 14:08 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 411 | (((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:57 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) and (((only or just or enough or min\$2 or | | |
| | | minimum or minimal\$2 or least or fewest) with | | |
| | | (read\$3 or compar\$7 or need\$3 or necess\$5 or | | |
| | | requir\$7)) with (bit or bits))) and ((daisychain\$5 or | į | |
| | | chain\$5 or link\$5) with address\$5) | | |
| | 97278 | (sequen\$7 or bit adj2 bit or increment\$5) near8 | USPAT; | 2004/06/09 |
| | | compar\$7 | US-PGPUB; | 13:58 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| | 225 | ((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 13:58 |
| Sec | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | 1 | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBW_TDB | |
| | | difference)) same ((sequen\$7 or bit adj2 bit or | | |
| | | increment\$5) near8 compar\$7) | | |
| | 28 | (((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | U5-PGPUB; | 13:59 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) same ((sequen\$7 or bit adj2 bit or | | |
| | | increment\$5) near8 compar\$7)) and ((daisychain\$5 | | |
| | | or chain\$5 or link\$5) with address\$5) | | |

| | 112 | (((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
|---|-------|---|-----------|------------|
| _ | 112 | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 14:00 |
| : | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | 14.00 |
| | | | DERWENT; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) same ((sequen\$7 or bit adj2 bit or | | |
| | | increment\$5) near8 compar\$7)) and (((only or just or | | |
| | | enough or min\$2 or minimum or minimal\$2 or least or | | |
| : | | fewest) with (read\$3 or compar\$7 or need\$3 or | | |
| | | necess\$5 or requir\$7)) with (bit or bits)) | | |
| - | 9 | ((((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| : | | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 14:00 |
| | | identification\$1 or identit\$5 or address\$5 or | EPO; JPO; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | DERWENT; | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) same ((sequen\$7 or bit adj2 bit or | | |
| : | | increment\$5) near8 compar\$7)) and (((only or just or | | |
| · | | enough or min\$2 or minimum or minimal\$2 or least or | | |
| | | fewest) with (read\$3 or compar\$7 or need\$3 or | | |
| | | necess\$5 or requir\$7)) with (bit or bits))) and | | |
| | | ((daisychain\$5 or chain\$5 or link\$5) with address\$5) | | |
| | 9 | (((((((device\$1 or peripheral\$1 or module\$1 or node\$1 | USPAT; | 2004/06/09 |
| _ | , | or unit\$1 or agent\$1) near6 (id\$2 or identifier\$1 or | US-PGPUB; | 14:11 |
| | | <u>-</u> | EPO; JPO; | 14.11 |
| | | identification\$1 or identit\$5 or address\$5 or | DERWENT; | |
| | | code\$1)) with (bit or bits)) with (compar\$7 or | 1 | |
| | | match\$7 or mismatch\$7 or "same" or different or | IBM_TDB | |
| | | difference)) same ((sequen\$7 or bit adj2 bit or | | |
| | | increment\$5) near8 compar\$7)) and (((only or just or | | |
| | | enough or min\$2 or minimum or minimal\$2 or least or | 100 | |
| : | | fewest) with (read\$3 or compar\$7 or need\$3 or | | |
| | | necess\$5 or requir\$7)) with (bit or bits))) and | | |
| | | ((daisychain\$5 or chain\$5 or link\$5) with | | |
| | | address\$5)) and (@ad<20020102 or @rlad<20020102 | | |
| | | or @prad<20020102 or @pt1d<20020102 or | | |
| | | @pd<20020102) | <u>.</u> | |
| - | 12620 | (only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | | minimal\$2 or least or fewest) with compar\$7 with | US-PGPUB; | 14:05 |
| | | (bit or bits) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| _ | 3443 | ((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | 33 | minimal\$2 or least or fewest) with compar\$7 with | US-PGPUB; | 14:24 |
| | | (bit or bits)) with (address\$5 or id\$2 or identif\$7 or | EPO; JPO; | |
| | | identit\$5 or code\$1) | DERWENT; | |
| | | Identifian of code at | IBM_TDB | |
| | /57 | ///anh. an ivet an anavah an mint? an minimum an | USPAT; | 2004/06/09 |
| | 657 | (((only or just or enough or min\$2 or minimum or | US-PGPUB; | 14:07 |
| | | minimal\$2 or least or fewest) with compar\$7 with | | 17.07 |
| | | (bit or bits)) with (address\$5 or id\$2 or identif\$7 or | EPO; JPO; | |
| | | identit\$5 or code\$1)) with (device\$1 or peripheral\$1 | DERWENT; | |
| | | or module\$1 or node\$1 or unit\$1 or agent\$1) | IBM_TDB | l |

| _ | 724 | (((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
|-----|--------|---|-----------|------------|
| | | minimal\$2 or least or fewest) with compar\$7 with | US-PGPUB; | 14:23 |
| | | (bit or bits)) with (address\$5 or id\$2 or identif\$7 or | EPO; JPO; | , |
| | | identit\$5 or code\$1)) with (device\$1 or peripheral\$1 | DERWENT; | |
| | | | IBM_TDB | |
| | | or module\$1 or node\$1 or unit\$1 or agent\$1 or | TD/W_TOD | |
| | 071010 | target\$1 or destination\$1) | LICDAT. | 2004/04/00 |
| - | 871810 | (daisychain\$5 or chain\$5 or link\$5) with (address\$5 | USPAT; | 2004/06/09 |
| | | or bus or busses or buses or device\$1 or peripheral\$1 | US-PGPUB; | 14:12 |
| | | or node\$1 or agent\$1 or unit\$1 or target\$1 or | EPO; JPO; | |
| | | destination\$1 or module\$1 or config\$7 or connect\$7 | DERWENT; | |
| | | or coupl\$7) | IBM_TDB | * |
| - | 201 | ((((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | | minimal\$2 or least or fewest) with compar\$7 with | US-PGPUB; | 14:11 |
| | | (bit or bits)) with (address\$5 or id\$2 or identif\$7 or | EPO; JPO; | |
| | | identit\$5 or code\$1)) with (device\$1 or peripheral\$1 | DERWENT; | |
| | | | IBM_TDB | |
| | | or module\$1 or node\$1 or unit\$1 or agent\$1 or | TDW_100 | • |
| | 1 | target\$1 or destination\$1) and ((daisychain\$5 or | | |
| | | chain\$5 or link\$5) with (address\$5 or bus or busses | | |
| | | or buses or device\$1 or peripheral\$1 or node\$1 or | | |
| | | agent\$1 or unit\$1 or target\$1 or destination\$1 or | | |
| | | module\$1 or config\$7 or connect\$7 or coupl\$7)) | | |
| _ | 197 | (((((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | | minimal\$2 or least or fewest) with compar\$7 with | US-PGPUB; | 14:19 |
| | | (bit or bits)) with (address\$5 or id\$2 or identif\$7 or | EPO; JPO; | |
| | | identit\$5 or code\$1)) with (device\$1 or peripheral\$1 | DERWENT; | |
| | | or module\$1 or node\$1 or unit\$1 or agent\$1 or | IBM_TDB | |
| | | target\$1 or destination\$1) and ((daisychain\$5 or | | |
| | | chain\$5 or link\$5) with (address\$5 or bus or busses | | |
| | | | | |
| | | or buses or device\$1 or peripheral\$1 or node\$1 or | | |
| | | agent\$1 or unit\$1 or target\$1 or destination\$1 or | | |
| | | module\$1 or config\$7 or connect\$7 or coupl\$7))) and | | |
| | | (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| | | @pd<20020102) | | |
| - * | 15 | ((((((only or just or enough or min\$2 or minimum or | USPAT; | 2004/06/09 |
| | | minimal\$2 or least or fewest) with compar\$7 with | US-PGPUB; | 14:22 |
| | | (bit or bits)) with (address\$5 or id\$2 or identif\$7 or | EPO; JPO; | |
| | | identit\$5 or code\$1)) with (device\$1 or peripheral\$1 | DERWENT; | |
| | | or module\$1 or node\$1 or unit\$1 or agent\$1 or | IBM_TDB | |
| | | target\$1 or destination\$1) and ((daisychain\$5 or | | |
| | | | | |
| | | chain\$5 or link\$5) with (address\$5 or bus or busses | | |
| | | or buses or device\$1 or peripheral\$1 or node\$1 or | | |
| | | agent\$1 or unit\$1 or target\$1 or destination\$1 or | | |
| | | module\$1 or config\$7 or connect\$7 or coupl\$7))) and | | |
| | | (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| | | @pd<20020102)) and (daisychain\$5 or daisy adj2 | 1 | |
| | | chain\$5) | | |
| _ | 20 | (daisychain\$5 or daisy adj2 chain\$5) with latenc\$3 | USPAT; | 2004/06/09 |
| _ | 20 | (ddisychulips of ddisy doja chalips) with latelieus | US-PGPUB; | 14:19 |
| | | | EPO; JPO; | - 1.27 |
| | | | I . | |
| | | | DERWENT; | |
| | | | IBW_TDB | |

| - | 16 | ((daisychain\$5 or daisy adj2 chain\$5) with latenc\$3) | USPAT; | 2004/06/09 |
|---|--------|--|-----------------------|---------------------|
| | | and (@ad<20020102 or @rlad<20020102 or | US-PGPUB; | 14:28 |
| | | @prad<20020102 or @pt1d<20020102 or | EPO; JPO; | |
| | | @pd<20020102) | DERWENT; | |
| | | · | IBM_TDB | |
| - | 381 | (daisychain\$5 or daisy adj2 chain\$5) with address\$5 | USPAT; | 2004/06/09 |
| | | | US-PGPUB; | 14:41 |
| | | | EPO; JPO; | |
| | | · · | DERWENT; | |
| | | | IBW_TDB | |
| - | 213 | ((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | 2004/06/09 |
| | | address\$5) with (device\$1 or peripheral\$1 or | US-PGPUB; | 14:42 |
| | | module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 | EPO; JPO; | |
| | | or destination\$1) | DERWENT; | |
| | | | IBW_LDB | |
| - | 233699 | compar\$7 with (address\$5 or id\$2 or identif\$7 or | USPAT; | 2004/06/09 |
| | | identit\$5 or code\$1) | US-PGPUB; | 14:27 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBW_TDB | |
| - | 102626 | (compar\$7 with (address\$5 or id\$2 or identif\$7 or | USPAT; | 2004/06/09 |
| | | identit\$5 or code\$1)) same (forward\$5 or pass\$5 or | US-PGPUB; | 14:26 |
| | | match\$5 or mismatch\$5 or "same" or differen\$3) | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 843842 | (forward\$5 or pass\$5 or transmi\$5) with (match\$5 | USPAT; | 2004/06/09 |
| | | or mismatch\$5 or "same" or differen\$3) | US-PGPUB; | 14:27 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | A | IBM_TDB | 2004/04/00 |
| - | 277767 | compar\$7 with (bit or bits or address\$5 or id\$2 or | USPAT; | 2004/06/09 14:27 |
| | | identif\$7 or identit\$5 or code\$1) | US-PGPUB; | 14.27 |
| | | | EPO; JPO; DERWENT; | |
| | | | IBM_TDB | |
| | 10767 | ((forward\$5 or pass\$5 or transmi\$5) with (match\$5 | USPAT; | 2004/06/10 |
| - | 12767 | or mismatch\$5 or "same" or differen\$3)) same | US-PGPUB; | 07:55 |
| | | (compar\$7 with (bit or bits or address\$5 or id\$2 or | EPO; JPO; | 37.33 |
| | | identif\$7 or identit\$5 or code\$1)) | DERWENT; | |
| | | Identify of identify of code \$\frac{1}{2}\$ | IBM_TDB | |
| _ | 7 | (((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | 2004/06/09 |
| - | / | address\$5) with (device\$1 or peripheral\$1 or | US-PGPUB; | 14:28 |
| | | module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 | EPO; JPO; | |
| | | or destination\$1)) and (((forward\$5 or pass\$5 or | DERWENT; | |
| | | transmi\$5) with (match\$5 or mismatch\$5 or "same" | IBM_TDB | |
| | | or differen\$3)) same (compar\$7 with (bit or bits or | | |
| | | address\$5 or id\$2 or identif\$7 or identit\$5 or | | * |
| | | code\$1))) | | |

| | | /// 1 : . 1 : | USPAT; | 2004/06/09 |
|-------|------|--|-----------------------|------------|
| - | 7 | ((((daisychain\$5 or daisy adj2 chain\$5) with | US-PGPUB; | 14:34 |
| | | address\$5) with (device\$1 or peripheral\$1 or | EPO; JPO; | 17.57 |
| | | module\$1 or node\$1 or unit\$1 or agent\$1 or target\$1 | DERWENT; | |
| | | or destination\$1)) and (((forward\$5 or pass\$5 or | 1 | , |
| | | transmi\$5) with (match\$5 or mismatch\$5 or "same" | IBM_TDB | |
| | | or differen\$3)) same (compar\$7 with (bit or bits or | | |
| | | address\$5 or id\$2 or identif\$7 or identit\$5 or | | |
| | | code\$1)))) and (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| | | @pd<20020102) | | 2004/07/00 |
| - | 1906 | (wired or open adj2 collect?r\$1) with (serial\$2 or | USPAT; | 2004/06/09 |
| | | daisychain\$5 or daisy adj2 chain\$5) | US-PGPUB; | 14:34 |
| | | • | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 0004404400 |
| - | 111 | (wired or open adj2 collect?r\$1) with (daisychain\$5 | USPAT; | 2004/06/09 |
| | 1 | or daisy adj2 chain\$5) | U5-PGPUB; | 14:37 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | |
| - | 109 | ((wired or open adj2 collect?r\$1) with (daisychain\$5 | USPAT; | 2004/06/09 |
| | | or daisy adj2 chain\$5)) and (@ad<20020102 or | US-PGPUB; | 14:37 |
| | | @rlad<20020102 or @prad<20020102 or | EPO; JPO; | |
| | | @pt1d<20020102 or @pd<20020102) | DERWENT; | |
| | | | IBM_TDB | 0004/04/00 |
| - | 102 | (open adj2 collect?r\$1) with (serial\$2 or | USPAT; | 2004/06/09 |
| | | daisychain\$5 or daisy adj2 chain\$5) | US-PGPUB; | 14:38 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | | IBM_TDB | 2004/06/00 |
| - | 100 | ((open adj2 collect?r\$1) with (serial\$2 or | USPAT; | 2004/06/09 |
| | | daisychain\$5 or daisy adj2 chain\$5)) and | U5-PGPUB; | 14:43 |
| | | (@ad<20020102 or @rlad<20020102 or | EPO; JPO; | |
| | | @prad<20020102 or @pt1d<20020102 or | DERWENT; | |
| - 200 | | @pd<20020102) | IBM_TDB USPAT; | 2004/06/10 |
| - | 15 | (((open adj2 collect?r\$1) with (serial\$2 or | USPAT; US-PGPUB; | 07:59 |
| | | daisychain\$5 or daisy adj2 chain\$5)) and | t . | 07.39 |
| | | (@ad<20020102 or @rlad<20020102 or | EPO; JPO; DERWENT; | |
| | | @prad<20020102 or @pt1d<20020102 or | IBM_TDB | |
| | | @pd<20020102)) and (daisychain\$5 or daisy adj2 | TBW_108 | |
| | 500 | chain\$5) | USPAT; | 2004/06/10 |
| - | 508 | (daisychain\$5 or daisy adj2 chain\$5) with | US-PGPUB; | 06:52 |
| | | (address\$5 or identif\$7) | 1 | 06.52 |
| | | | EPO; JPO; | |
| | | | DERWENT; | |
| | | //) - Am () - Am () - Am () | IBM_TDB | 2004/06/09 |
| - | 287 | ((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | |
| | | (address\$5 or identif\$7)) with (device\$1 or | US-PGPUB; | 14:42 |
| | | peripheral\$1 or module\$1 or node\$1 or unit\$1 or | EPO; JPO; | |
| | | agent\$1 or target\$1 or destination\$1) | DERWENT; | |
| 1 | | | IBM_TDB | 1 |

| | 10-1 | | LICDAT. | 2004/04/00 |
|----------|--------|---|---------------------|------------|
| - | 125 | (((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | 2004/06/09 |
| | | (address\$5 or identif\$7)) with (device\$1 or | US-PGPUB; | 14:43 |
| | | peripheral\$1 or module\$1 or node\$1 or unit\$1 or | EPO; JPO; | |
| | | agent\$1 or target\$1 or destination\$1)) and | DERWENT; | |
| | | (compar\$7 with (address\$5 or id\$2 or identif\$7 or | IBM_TDB | |
| | | identit\$5 or code\$1)) | LICDAT | 2004/04/00 |
| - | 128 | (((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | 2004/06/09 |
| | | (address\$5 or identif\$7)) with (device\$1 or | US-PGPUB; | 14:43 |
| | | peripheral\$1 or module\$1 or node\$1 or unit\$1 or | EPO; JPO; | |
| | | agent\$1 or target\$1 or destination\$1)) and | DERWENT; | |
| | | (compar\$7 with (bit or bits or address\$5 or id\$2 or | IBM_TDB | |
| | | identif\$7 or identit\$5 or code\$1)) | | 0004404400 |
| - | 128 | ((((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | 2004/06/09 |
| | | (address\$5 or identif\$7)) with (device\$1 or | US-PGPUB; | 14:43 |
| | | peripheral\$1 or module\$1 or node\$1 or unit\$1 or | EPO; JPO; | |
| | | agent\$1 or target\$1 or destination\$1)) and | DERWENT; | |
| | | (compar\$7 with (bit or bits or address\$5 or id\$2 or | IBW_TDB | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5) | | 2004/24/20 |
| - | 123 | (((((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; | 2004/06/09 |
| | | (address\$5 or identif\$7)) with (device\$1 or | U5-PGPUB; | 14:44 |
| | | peripheral\$1 or module\$1 or node\$1 or unit\$1 or | EPO; JPO; | |
| | | agent\$1 or target\$1 or destination\$1)) and | DERWENT; | |
| | | (compar\$7 with (bit or bits or address\$5 or id\$2 or | IBW_LDB | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5)) and | | |
| | | (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| | | @pd<20020102) | LICDAT. | 2004/06/10 |
| - | 123 | ((((daisychain\$5 or daisy adj2 chain\$5) with | USPAT; US-PGPUB; | 06:50 |
| | | (address\$5 or identif\$7)) with (device\$1 or | EPO; JPO; | 00.50 |
| | | peripheral\$1 or module\$1 or node\$1 or unit\$1 or | DERWENT; | |
| | ! | agent\$1 or target\$1 or destination\$1) and | IBM_TDB | |
| | | (compar\$7 with (bit or bits or address\$5 or id\$2 or | IDM_IDD | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | 1 | (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| | 242015 | @pd<20020102) (few\$3 or little or small\$3 or least or min or | USPAT; | 2004/06/10 |
| - | 363815 | minimum or minimal\$2) near6 (data or bit or bits or | US-PGPUB; | 06:52 |
| | | address\$3) | EPO; JPO; | 30.02 |
| | | uuuress#3) | DERWENT; | |
| | | | IBM_TDB | |
| | 22020 | ((few\$3 or little or small\$3 or least or min or | USPAT; | 2004/06/10 |
| _ | 33828 | minimum or minimal\$2) near6 (data or bit or bits or | US-PGPUB; | 06:52 |
| | | address\$3)) with read\$3 | EPO; JPO; | 55.52 |
| | | uuuressays)) wiini euuys | DERWENT; | |
| | | | IBM_TDB | |
| | 3 | (((few\$3 or little or small\$3 or least or min or | USPAT; | 2004/06/10 |
| _ | 3 | minimum or minimal\$2) near6 (data or bit or bits or | US-PGPUB; | 07:58 |
| | | address\$3)) with read\$3) same (daisychain\$5 or | EPO; JPO; | |
| | | daisy adj2 chain\$5) | DERWENT; | |
| | | duisy duje chumps, | IBM_TDB | |
| L | | | TOIAI 100 | _1 |

| | 1216563 | (terminat\$5 or end\$3 or stop\$5 or until or once or | USPAT; | 2004/06/10 |
|---|---------|--|-----------|------------|
| - | 1210505 | soon) with (compar\$7 or match\$5 or mismatch\$5 or | US-PGPUB; | 08:21 |
| 1 | | "same" or differen\$3 or coincid\$7) | EPO; JPO; | |
| | | Sume of differents of contendary | DERWENT; | |
| | | | IBM_TDB | |
| | 75348 | compar\$7 with (bitwise\$1 or bit or bits) | USPAT; | 2004/06/10 |
| - | 75346 | Compary with (bitwisequal or bit of bits) | US-PGPUB; | 07:53 |
| | | | EPO; JPO; | |
| 1 | | | DERWENT; | |
| | | | IBM_TDB | |
| | 8164 | ((terminat\$5 or end\$3 or stop\$5 or until or once or | USPAT; | 2004/06/10 |
| - | 0104 | soon) with (compar\$7 or match\$5 or mismatch\$5 or | US-PGPUB; | 07:53 |
| | | | EPO; JPO; | 07.33 |
| | | "same" or differen\$3 or coincid\$7)) same (compar\$7 | DERWENT; | |
| | | with (bitwise\$1 or bit or bits)) | IBM_TDB | · |
| | 4057045 | () () () () () () () () () () | USPAT; | 2004/06/10 |
| - | 1057245 | (terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 07:54 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | 07.54 |
| | | differen\$3 or coincid\$7) | DERWENT; | |
| | | | IBM_TDB | |
| | 20040 | // / AF | USPAT; | 2004/06/10 |
| - | 38860 | ((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 07:54 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | 07.54 |
| | | differen\$3 or coincid\$7)) with compar\$7 | DERWENT; | |
| | | | IBM_TDB | |
| | | 47 11 (1 to 1 44 1 to 1 14) | USPAT; | 2004/06/10 |
| - | 1667 | (compar\$7 with (bitwise\$1 or bit or bits)) same | US-PGPUB; | 07:54 |
| | | (((terminat\$5 or end\$3 or stop\$5 or until or once or | EPO; JPO; | 07.54 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | DERWENT; | |
| | | differen\$3 or coincid\$7)) with compar\$7) | IBM_TDB | |
| | E711E1 | (1. in the maniphensist on madulation countries | USPAT; | 2004/06/10 |
| _ | 571151 | (device\$1 or peripheral\$1 or module\$1 or agent\$1 or | US-PGPUB; | 07:57 |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | EPO; JPO; | 07.57 |
| | | destination\$1) near6 (address\$5 or id\$2 or | DERWENT; | |
| | | identif\$7 or identit\$5 or code\$1) | IBM_TDB | |
| | 122 | ((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
| - | 122 | (((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 07:57 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | 07.57 |
| | | | DERWENT; | |
| | | differen\$3 or coincid\$7)) with compar\$7)) same | IBM_TDB | |
| | | ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or | 1014-100 | |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | | |
| | | destination\$1) near6 (address\$5 or id\$2 or | | |
| | _ | identif\$7 or identit\$5 or code\$1)) | USPAT; | 2004/06/10 |
| - | 7 | | US-PGPUB; | 08:02 |
| | | (((terminat\$5 or end\$3 or stop\$5 or until or once or | EPO; JPO; | 00.02 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | l . | |
| | | differen\$3 or coincid\$7)) with compar\$7)) same | DERWENT; | |
| | | ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or | IBM_TDB | |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | | |
| | | destination\$1) near6 (address\$5 or id\$2 or | | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5) | | |

| | 7 | ((((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
|---|----|--|-----------|------------|
| | | (((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:02 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | |
| | | differen\$3 or coincid\$7)) with compar\$7)) same | DERWENT; | |
| | | ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or | IBM_TDB | |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | | |
| | | destination\$1) near6 (address\$5 or id\$2 or | | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5)) | | |
| | | and (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| | | @pd<20020102) | | |
| | 62 | (((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
| | | (((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:02 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | |
| | | differen\$3 or coincid\$7)) with compar\$7)) same | DERWENT; | |
| İ | | ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or | IBM_TDB | |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | | |
| | | destination\$1) near6 (address\$5 or id\$2 or | | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | | serial\$2) | | |
| | 60 | ((((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
| | | (((terminat\$5 or end\$3 or stop\$5 or until or once or | U5-PGPUB; | 08:22 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | |
| | | differen\$3 or coincid\$7)) with compar\$7)) same | DERWENT; | |
| | | ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or | IBM_TDB | |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | _ | |
| 1 | | destination\$1) near6 (address\$5 or id\$2 or | | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | | serial\$2)) and (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @pt1d<20020102 or | | |
| 1 | | @pd<20020102) | | |

| - | 53 | (((((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
|--------------|---------|--|-----------|------------|
| | | (((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:03 |
| | | soon) with (match\$5 or mismatch\$5 or "same" or | EPO; JPO; | |
| | | differen\$3 or coincid\$7)) with compar\$7)) same | DERWENT; | |
| | | ((device\$1 or peripheral\$1 or module\$1 or agent\$1 or | IBM_TDB | |
| | | node\$1 or unit\$1 or target\$1 or slave\$1 or | _ | |
| | | destination\$1) near6 (address\$5 or id\$2 or | | |
| | | identif\$7 or identif\$5 or code\$1))) and | | |
| | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | | serial\$2)) and (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @p+1d<20020102 or | | |
| | | @pd<20020102)) not (((((compar\$7 with (bitwise\$1 | | |
| | | or bit or bits)) same (((terminat\$5 or end\$3 or | | |
| | | stop\$5 or until or once or soon) with (match\$5 or | | |
| | | mismatch\$5 or "same" or differen\$3 or coincid\$7)) | | |
| | | with compar\$7)) same ((device\$1 or peripheral\$1 or | | |
| | | module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 | | |
| | | or slave\$1 or destination\$1) near6 (address\$5 or | | |
| | | id\$2 or identif\$7 or identit\$5 or code\$1))) and | | |
| 1 | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5)) | | |
| | | and (@ad<20020102 or @rlad<20020102 or | | |
| | | @prad<20020102 or @p+1d<20020102 or | | |
| | | @pd<20020102)) | | |
| | 1259381 | (terminat\$5 or end\$3 or stop\$5 or until or once or | USPAT; | 2004/06/10 |
| - | 1239301 | soon) with (compar\$7 or match\$5 or mismatch\$5 or | US-PGPUB; | 08:20 |
| | | "same" or differen\$3 or coincid\$7 or identical\$2) | EPO; JPO; | 00.20 |
| | | same or an revento of coincidy of identicality) | DERWENT; | |
| | | | IBM_TDB | |
| | 8210 | (compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
| - | 6210 | ((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:21 |
| | | soon) with (compar\$7 or match\$5 or mismatch\$5 or | EPO; JPO; | 00.21 |
| | | "same" or differen\$3 or coincid\$7 or identical\$2)) | DERWENT; | |
| | | same or differents or coincide or identical \$2)) | IBM_TDB | |
| _ | 62 | ((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
| - | 02 | ((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:21 |
| | | soon) with (compar\$7 or match\$5 or mismatch\$5 or | EPO; JPO; | |
| | | "same" or differen\$3 or coincid\$7 or identical\$2))) | DERWENT; | |
| | | and ((((compar\$7 with (bitwise\$1 or bit or bits)) | IBM_TDB | |
| ļ | | same (((terminat\$5 or end\$3 or stop\$5 or until or | | |
| | | once or soon) with (match\$5 or mismatch\$5 or | | |
| | | "same" or differen\$3 or coincid\$7)) with compar\$7)) | | 1 |
| | | same ((device\$1 or peripheral\$1 or module\$1 or | 1 | |
| | | agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 | | |
| | | or destination\$1) near6 (address\$5 or id\$2 or | | |
| | | identif\$7 or identit\$5 or code\$1))) and | | |
| | | | | |
| | | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | I | serial\$2)) | 1 | 1 |

| - 60 | (((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
|------|--|-----------|------------|
| | ((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:22 |
| | soon) with (compar\$7 or match\$5 or mismatch\$5 or | EPO; JPO; | |
| | "same" or differen\$3 or coincid\$7 or identical\$2))) | DERWENT; | |
| | and ((((compar\$7 with (bitwise\$1 or bit or bits)) | IBM_TDB | |
| | same (((terminat\$5 or end\$3 or stop\$5 or until or | | |
| | once or soon) with (match\$5 or mismatch\$5 or | | |
| | "same" or differen\$3 or coincid\$7)) with compar\$7)) | | |
| | same ((device\$1 or peripheral\$1 or module\$1 or | | |
| | agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 | | |
| | or destination\$1) near6 (address\$5 or id\$2 or | | Ì |
| | identif\$7 or identit\$5 or code\$1))) and | | |
| | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | serial\$2))) and (@ad<20020102 or @rlad<20020102 | | |
| | or @prad<20020102 or @pt1d<20020102 or | | |
| | @pd<20020102) | | |
| - 0 | ((((compar\$7 with (bitwise\$1 or bit or bits)) same | USPAT; | 2004/06/10 |
| | ((terminat\$5 or end\$3 or stop\$5 or until or once or | US-PGPUB; | 08:22 |
| | soon) with (compar\$7 or match\$5 or mismatch\$5 or | EPO; JPO; | |
| | "same" or differen\$3 or coincid\$7 or identical\$2))) | DERWENT; | |
| | and ((((compar\$7 with (bitwise\$1 or bit or bits)) | IBM_TDB | |
| | same (((terminat\$5 or end\$3 or stop\$5 or until or | | |
| | once or soon) with (match\$5 or mismatch\$5 or | | |
| | "same" or differen\$3 or coincid\$7)) with compar\$7)) | | |
| | same ((device\$1 or peripheral\$1 or module\$1 or | | |
| | agent\$1 or node\$1 or unit\$1 or target\$1 or slave\$1 | | |
| | or destination\$1) near6 (address\$5 or id\$2 or | * | |
| | identif\$7 or identit\$5 or code\$1))) and | | |
| | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | serial\$2))) and (@ad<20020102 or @rlad<20020102 | | |
| | or @prad<20020102 or @pt1d<20020102 or | | |
| | @pd<20020102)) not (((((compar\$7 with (bitwise\$1 | | |
| | or bit or bits)) same (((terminat\$5 or end\$3 or | | |
| | stop\$5 or until or once or soon) with (match\$5 or | | |
| | mismatch\$5 or "same" or differen\$3 or coincid\$7)) | | |
| | with compar\$7)) same ((device\$1 or peripheral\$1 or | | |
| | module\$1 or agent\$1 or node\$1 or unit\$1 or target\$1 | | |
| | or slave\$1 or destination\$1) near6 (address\$5 or | | |
| | id\$2 or identif\$7 or identit\$5 or code\$1))) and | | |
| | (daisychain\$5 or daisy adj2 chain\$5 or cascad\$5 or | | |
| | serial\$2)) and (@ad<20020102 or @rlad<20020102 or | | |
| | @prad<20020102 or @pt1d<20020102 or | | |
| | @pd<20020102)) | | |